


Jenstack Concorde

Small piece folder with
mobile folding table





Jenstack Concorde


The Jenstack Concorde represents a technological innovation in small piece folding: all folds are carried out with linen in motion.

The Jenstack Concorde reaches a very high productivity rate despite its reduced operation speed of 38 m/min. Further advantages of the Jenstack Concorde are a remarkable improvement in folding quality and a reduced wear of mechanical components. All folds are very precise. The lateral folds are made with two flaps and the two cross- folds are made by mechanical blades that feed the piece into counter-rotating rolls.

Main features of the Jenstack Concorde:


- Folding with linen in motion without possibility of overfeeding

- Variable folding size
- Cross-fold by blade for high quality folding
Small linen with dimensions up to 40x40 cm can be stacked without folding. Due to high working speed, the items cannot be jammed by overfeeding.




Jenstack Concorde 600 Standard

only stacked

→ 


**0 Lateral fold
0 Cross-fold**

Linen width	Linen length
Max 400	Max 550

→ 


**0 Lateral fold
1 Cross-fold $\frac{1}{2}$**

Linen width	Linen length
Min 200	Min 400
Max 400	Max 1100

→ 

**0 Lateral fold
2 Cross-fold $\frac{1}{3}$**


Linen width	Linen length
Min 200	Min 400
Max 600	Max 1100

→ 

**1 Lateral fold $\frac{1}{2}$
1 Cross-fold $\frac{1}{2}$**

Linen width	Linen length
Min 200	Min 600
Max 400	Max 1100


Stack width
Min 160 Max 220

→ 

**2 Lateral fold $\frac{1}{3}$
2 Cross-fold $\frac{1}{3}$**

Linen width	Linen length
Min 400	Min 500
Max 600	Max 1100


Stack width
Min 160 Max 220

→ 

**2 Lateral fold $\frac{1}{3}$
1 Cross-fold $\frac{1}{2}$**

Linen width	Linen length
Min 400	Min 500
Max 600	Max 1100


Stack width
Min 160 Max 220

→ 


**2 Lateral fold $\frac{1}{3}$
2 Cross-fold $\frac{1}{4}$**

Linen width	Linen length
Min 400	Min 600
Max 600	Max 1000


Top view



Top view model 600




Top view model 800



Top view model 1000

Jenstack Concorde 800 Standard


only stacked






Jenstack Concorde 1000 standard

only stacked

→ 


0 Lateral fold
0 Cross-fold

Linen width	Linen length
Max 600	Max 550

→ 


0 Lateral fold
1 Cross-fold 1/2

Linen width	Linen length
Min 200	Min 400
Max 400	Max 1100

→ 

0 Lateral fold
2 Cross-fold 1/3


Linen width	Linen length
Min 200	Min 400
Max 600	Max 1100

→ 

1 Lateral fold 1/2
1 Cross-fold 1/2

Linen width	Linen length
Min 200	Min 600
Max 500	Max 1100


Stack width
Min 225 Max 360

→ 

2 Lateral fold 1/3
2 Cross-fold 1/3

Linen width	Linen length
Min 500	Min 500
Max 1000	Max 1100


Stack width
Min 225 Max 360

→ 

2 Lateral fold 1/3
1 Cross-fold 1/2

Linen width	Linen length
Min 500	Min 600
Max 1000	Max 1100

Stack width
Min 225 Max 360

→ 

2 Lateral fold 1/3
2 Cross-fold 1/4

Linen width	Linen length
Min 600	Min 600
Max 1000	Max 1100



Linen folding in motion.



Installation

JENSEN is pleased to assist you in planning your laundry providing excellent consulting, layouts and technical data. Authorized JENSEN distributors or JENSEN engineers should carry out the installation to ensure the correct performance.

Service

In addition JENSEN provides an extraordinary after sales service through a worldwide network of highly qualified Sales and Service Centers and distributors, all with their own maintenance and spare parts services.

Call us...

JENSEN provides a complete range of heavy-duty equipment for the laundry industry, delivered and installed according to your specifications. Please do not hesitate to contact us for further advice and information, or visit www.jensen-group.com

Local Contact