

JENSEN Water Extraction Press ExQ with TwinDrain

The brand new JENSEN Water Extraction Press in TwinDrain version: Washroom Technology Redefined





The new JENSEN ExQ




The new JENSEN ExQ Water Extraction Press is the next evolutionary step in JENSEN's extraction technology and is always the right choice for best water extraction performance. Benefit from faster process steps, higher pressure and better extraction performance than ever before. The new hydraulic and automation concept offers highest performance and best maintainability. Through innovation, JENSEN sets new standards in the field of water extraction technology. The JENSEN know-how for this further development is based on more than 35 years of experience in the construction of presses and more than **3000** extraction units built.



2K press cushion with longer lifetime

Best extraction performance

Thanks to the new hydraulic system, the new JENSEN ExQ Water Extraction Press ensures highest productivity and best extraction performance by faster process steps. The top plate of the press is made of extremely stable spheroidal graphite cast iron. This top part bears the new hydraulic system. The medium-pressure model of the ExQ now offers 40 bars of pressure on laundry, yet another increase in a 10% better water extraction performance, and once more an improvement in residual moisture values, which of course speeds up subsequent drying processes and significantly reduces energy consumption. Performance tests with the new hydraulic system prove a higher speed: 10 seconds faster or as much as 5% lower moisture retention at the same cycle time. A faster production with a monetary value! With SpeedExtract, a very fast water extraction is made possible: Through a perforation in the upper part of the basket (option), water and air above the linen is removed and thus does not have to be pressed through the linen. This ensures a very efficient extraction, even for short cycle times and a very low moisture retention.



The patented TwinDrain version for best hygiene conditions.

Automatic level monitoring with AutoRefill Easy to maintain

The modern design of the new JENSEN EXQ Water Extraction Press offers best accessibility with the best ease of maintenance.

Best and constant extraction results with the automatic level monitoring of the press cushion with AutoRefill function when the level is too low, thus the lifetime of the press cushion will be prolonged tremendously. Double monitoring of the loading process into the basket by photocell and patented strain gauge for a safe and reliable process.

Unique in the laundry business, especially designed for JENSEN: The 2K press cushion with its two components adapts perfectly to the extracted linen and extends the lifetime of the press cushion considerably thanks to the two-component rubber mixture.


In addition, the control panel offers best accessibility from the plant floor for an ergonomic and safe way of working.





With the new TwinDrain system with a now doubled drainage cross section based on the patented TopDrain version, the ExQ also features unique hygiene properties and requires very minimal

maintenance. It is entirely made of stainless steel. The base plate is made of a solid steel block and is provided with a durable anticorrosive. The TwinDrain system is mounted onto this base plate and is a closed drainage system with now two instead of one drains for an even faster process. The cycle time is approx. 2 seconds faster for a higher productivity or the high pressure time is 2 seconds longer for a lower moisture retention. The extracted liquor is fed into either a separate, easily accessible recovery tank, or if combined with a tankless JENSEN tunnel washer (pat.), directly back to the rinse process of the batch washer without the use of any intermediate buffer tanks. Standing water is avoided and an outstanding hygiene is guaranteed.





Washroom Technology Redefined

The new JENSEN EXQ Water Extraction Press offers best productivity with the best ease of maintenance. Benefit from faster process steps, higher pressure and better extraction performance than ever before.

Models available

JENSEN EXQ 40 MD/HD JENSEN EXQ 50 MD/HD JENSEN EXQ 60 MD/HD JENSEN EXQ 75 MD/HD (MD=40 bar, HD=51 bar)

Installation

JENSEN is pleased to assist you in planning your laundry by providing excellent advice, layouts and technical data. Authorised JENSEN distributors or JENSEN engineers should carry out the installation to ensure that it is performed correctly.

Service

In addition, JENSEN provides an extraordinary after sales service through a worldwide network of highly qualified Sales and Service Centers and distributors, all with their own maintenance and spare parts services.

Call us...

JENSEN provides a complete range of heavyduty equipment for the laundry industry, delivered and installed according to your specifications. Please do not hesitate to contact us for further advice and information, or visit www.jensen-group.com

Local contact

www.jensen-group.com

Explore our equipment on www.youtube.com/jensengroupcom